

groups in its molecule, at least one of which is an allyl group,

2) of not more than 80 % by weight, of a covering composed of a copolymer (II) of n-alkyl acrylate, the alkyl group of which has a carbon number ranging from 4 to 12, and a grafting agent possessing allyl groups, the said covering containing a molar amount of grafting agent ranging from 0.05 % to 2.5 %, said grafting agent having only allyl functional groups, all having the same reactivity and,

b) 30 % to 10 % by weight of a shell grafted onto the said core composed of a polymer of an alkyl methacrylate, the alkyl group of which has a carbon number ranging from 1 to 4, or alternatively of a statistical copolymer of an alkyl methacrylate, the alkyl group of which has a carbon number ranging from 1 to 4, and of an alkyl acrylate, the alkyl group of which has a carbon number ranging from 1 to 8, containing a molar amount of alkyl acrylate ranging from 5 % to 40 %, or alternatively composed of a styrene-acrylonitrile copolymer.

51
H 4 78. (Thrice Amended) A thermoplastic polymer composition containing a core/shell impact additive said impact additive comprising:

a) 70 % to 90 % by weight of a crosslinked elastomeric core which is composed;

1) of 20 % to less than 100 % by weight of a nucleus composed of a copolymer (I) of an n-alkyl acrylate, the alkyl group of which has a carbon number ranging from 5 to 12, of a polyfunctional crosslinking agent possessing unsaturated groups in its molecule, at least one of which is of a vinyl group, and optionally of a polyfunctional grafting agent possessing unsaturated groups in its molecule, at least one of which is an allyl group,

2) of an amount above 0%, but not more than 80 % by weight, of a covering composed of a copolymer (II) of n-alkyl acrylate, the alkyl group of which has a carbon number ranging from 4 to 12, and a grafting agent possessing allyl groups, the said covering containing a molar amount of grafting agent ranging from 0.05 % to 2.5 %, said grafting agent having only allyl functional groups, all having the same reactivity,

b) 30 % to 10 % by weight of a shell grafted onto the said core composed of a polymer of an alkyl methacrylate, the alkyl group of which has a carbon number ranging from 1 to 4, or alternatively of a statistical copolymer of an alkyl methacrylate, the alkyl group of which

G² curd
has a carbon number ranging from 1 to 4, and of an alkyl acrylate, the alkyl group of which has a carbon number ranging from 1 to 8, containing a molar amount of alkyl acrylate ranging from 5 % to 40 %, or alternatively composed of a styrene-acrylonitrile copolymer.

SUB 1
69. (Amended) A thermoplastic polymer composition containing a core-shell impact additive, such impact additive comprising:

G³
(a) 70% to 90% by weight of a crosslinked elastomeric core composed of either a polyorganosiloxane or a copolymer of an n-alkyl acrylate, the n-alkyl group having from 5 to 12 carbon atoms, said elastomeric core further comprising:

a polyfunctional crosslinking agent possessing unsaturated groups in its molecules, at least one of which is a vinyl group, and diallyl maleate as a grafting agent, and

(b) 30 % to 10 % by weight of a shell grafted onto the said core wherein said shell is composed of a polymer of an alkyl methacrylate, the alkyl group of which has a carbon number ranging from 1 to 4, or alternatively of a statistical copolymer of an alkyl methacrylate, the alkyl group of which has a carbon number ranging from 1 to 4, and of an alkyl acrylate, the alkyl group of which has a carbon number ranging from 1 to 8, containing a molar amount of alkyl acrylate ranging from 5 % to 40 %, or alternatively composed of a styrene-acrylonitrile copolymer.
